

New Jersey's Clean Energy Program
Pay for Performance
Partner Conference Call Minutes
May 25th, 2011 10:00-11:00am (EST)

1. Program Statistics

A. Application Status EB & NC:

- i. 261 projects submitted to date
- 131 approved
 - 24 are under review
 - Remaining are expired/rejected.

Seeing about a 50% of projects moving forward, which is pretty good compared to other programs.

ii. Applications Approved by Type:

- Multifamily (Market & Affordable) – 44
- K-12 Schools – 25
- Commercial Office Space – 15
- Colleges/Universities – 13
- Medical Centers/Hospitals/Nursing Homes – 8
- Industrial/Manufacturing – 5
- Hospitality/Casino/Convention – 5
- Supermarkets -4
- Warehouses/Storage – 3
- Religious Institutions –3
- Water Treatment Plants -2
- Sports/Recreational Facilities – 2
- Datacenter - 1
- Restaurants - 1

Seeing an overwhelming participation in the multifamily market. Probably due to this sector being underserved by NJ programs in the past. As well as spill over from Multifamily Performance Program in NY.

B. ERP Status

- i. 74 EB ERPs submitted, 5 NC Draft ERPs submitted
- 48 EB ERPs approved; 1 NC Draft ERP approved
 - 1 EB ERP & 1 NC Draft ERP at AEG for final approval
 - 22 EB ERPs under review; 3 NC Draft ERPs under review

- 3 ERP rejected

Volume of ERPs coming in is very good.

C. CHP Status

- 3 CHP applications submitted
 - 1 CHP project approved as part of P4P plan
 - 1 CHP project approved as stand-alone
 - 1 CHP project under review (part of P4P plan)

Q: What is the current budget in P4P?

A: 2011 P4P EB Incentive budget is approx \$50.8 million, of which \$31.9 million is still available. Of that, \$5 million is set aside for CHP, of which \$3.8 million is still available. 2011 P4P NC Incentive budget is approx \$6.6 million, of which \$6.3 million is still available.

2. Technical Topics

- Advanced Energy Design Guide: New guide for achieving 50% savings in small to medium office buildings. Developed through partnership with ASHRAE, AIA, USGBC, and IESNA.
 - Download free guide here:
<http://www.ashrae.org/publications/page/aedg50pct>
 - Other guides in development for K-12 schools (release date September 2011), Big Box Retail, and Large Hospitals.
- Modeling Resources
 - A number of useful tools can be downloaded from Rocky Mountain Institute website: <http://rmi.org/rmi/ModelingTools>
 - *Energy Model Input Translator*
 - Others tools may be of interest as well
- Tech-Tip: Modeling Multi-Building Sites (*see attached PDF*)
 - Most applicable to multifamily projects, specifically garden-style.

3. LEED List (*see attached Excel spreadsheet*)

- List of LEED-registered projects in New Jersey
 - New Construction:
 - LEED NC 2.1, 2.2, 2.0; LEED-NC v2009; LEED FOR SCHOOLS v200; LEED for School 2.0; LEED CS v2009; LEED CS 2.0.
 - Existing Buildings
 - LEED-EB:OM v2009; LEED EB O&M; LEED CI (Commercial Interiors) 2.0, v2009.
- Good source for leads on potential P4P participants.

4. ERP Revision Deadlines

- A. Addition of 90-day response deadline:
 - i. Partners will have maximum 90 days to submit ERP revisions once TRC remarks are sent out.
 - ii. Established to avoid “disappearance” of project between revisions.
 - iii. Not a problem for most partners.

Language will be included in review emails/documents as a reminder.

5. P4P Website Partner Listings

- A. Email sent out last week asking partners to verify (1) contact information, and (2) “Areas of Specialty”. If you have not responded to this email yet please do so ASAP. If you believe you haven’t received this email, please notify me.

6. Q&A

- A. Forward all future questions and points you’d like to discuss to P4P@trcsolutions.com

Next Partner Conference Call will be
Wednesday June 22nd, 2011
10:00-11:00am (EST)

General Approach: Multiple Building Modeling

Sometimes projects may include several buildings that are individually metered for some or all fuels, or have a common set of utility bills. Each building may have a single whole-building set of bills for each fuel or may include multiple sets of bills (i.e. electricity consumption in apartments is metered separately from the common space). This document provides guidelines for aggregating model results and utility bills for the purpose of model calibration.

1. When a **single building** has multiple sets of bills for a given fuel — for example, if electricity consumption in apartments is directly metered, or if there is a separate set of electric bills for the common space — all individual sets must be combined so that there is one set of bills representing the total whole building consumption of each fuel.

(Comparing the individual sets of bills to the modeled consumption of corresponding spaces — for example, comparing electricity usage of common spaces predicted by the model to the billing data for common spaces — may provide valuable additional insight into building operation, but it is not required.)

2. When a project includes **multiple buildings**, the model calibration approach depends on the metering configurations and whether the buildings have similar envelope and mechanical systems.

Buildings are considered to have *similar envelopes* if **all** of the following conditions are met:

- Building geometries are similar
- Total conditioned building area differs by no more than 20%
- Percentage of area taken by common spaces differs by no more than 20 percentage points.
- Spaces in buildings are of a similar occupancy type
- Areas of surfaces of each type (exterior and below grade walls, windows, roof, slab) differ by no more than 20%
- Thermal properties of envelope components are similar
- Infiltration rates are similar.

Example: There are two 60,000 SF, 6-story buildings in the project. One building has 12,000 SF of corridors and common spaces (20% of total building area). The other building has the same corridor area, plus a community room, rental office and laundry on



the first floor, with the total area of common spaces equal to 20,000 SF (33% of total building area). The percentage of common spaces in each of these buildings differ by 13 percentage points (33%-20%), and the buildings have spaces of different occupancy types; therefore, they may not be considered as having similar geometry.

Buildings are considered to have *similar mechanical systems* if **all** of the following conditions are met:

- HVAC or domestic hot water equipment in buildings is of similar type
- Overall plant efficiency varies by no more than 5 percentage points.
- Mechanical ventilation rates are similar.

Buildings are considered to have similar usage if the annual fuel usage per square foot of conditioned floor area differs by no more than 10%.




The summary table below shows modeling approaches for multiple building projects depending on the similarity of envelope and mechanical systems:

	Similarity of Buildings and Systems	Type and Similarity of Heating Bills	Modeling Approach
Case A	Non-similar envelope or mechanical	Billing for heating fuel is either per apartment or per building.	Buildings must be explicitly modeled and individually calibrated to the corresponding set of utility bills.
Case B	Similar envelope and mechanical	Billing for heating fuel is either per apartment or per building; usage is similar between buildings.	Create single model representing <i>one</i> building; calibrate to area-weighted average annual usage.
Case C	Similar envelope and mechanical	The meter or billing data for heating fuel applies to multiple buildings.	Create single model representing <i>all</i> buildings that are served by a single heating-fuel meter; calibrate to the total annual usage shown for all fuels used at those buildings.
Case D	Non-similar mechanical systems	The meter or billing data for heating fuel applies to multiple buildings.	If simulation tool supports explicit modeling of non-identical HVAC systems in a single model file, the same approach as for Case C may be used. For tools that do not have this capability (such as TREAT), separate models must be created representing each building, and the total heating usage of these models must be calibrated to utility bills.

Example: Country Apartments complex consists of 25 two story buildings with 327 apartments, including 190 one bedroom, 72 two bedroom deluxe, 56 two bedroom junior, and 8 three bedroom apartments. The gross floor area of the apartment complex is approximately 200,000 SF.

Using the guidelines previously described, it was determined that the buildings within the complex have both similar envelope *and* mechanical systems. Additionally, each building has its own boiler plant. Therefore, as Case B requires, a typical building was modeled and a multiplier

added to represent the total square footage of the complex. A screenshot of the typical buildings is shown below.



The total utility consumption of the complex was then calibrated against this model. ECMs were then modeled like any other project. Because a multiplier was used within eQUEST, the savings results were extrapolated to the entire complex.

NOTE: It is important to remember that all buildings in a project must be ‘similar’ as defined in the preceding section. For example, if one building is served by a new boiler while the other is served by an original boiler to be replaced in the retrofit, the buildings are not similar and each must be explicitly modeled. Similarly, some but not all buildings may need insulation added in attics. So both the existing condition and scope of work (ECMs) for different buildings should be similar. In other words, buildings should be scaled up or down versions of each other. Another important consideration is utility bills. For example, if one building has significantly different heating kBtu/SF than another building, it means that even though the two may appear ‘similar’, they are actually not. Reason for discrepancy should be investigated – for example, is it due to the fact that some apartments were vacant in one building? In this case we could still consider them similar and assume some average occupancy rates in the model. Or it could be something like high distribution losses from buried pipes in one building and not the other, in which case the scope of measures will likely be different between the two, which would make them not similar.

10005562 No	Trenton Town Center I	200 East State Street	Trenton NJ	8608 US	LEED NC 2.2	No	No	Profit Org.	688000	Commercial Office, Mnl	3/15/2007
10005870 No	UMDNJ Clinical Research Expansion	1 Medical Center Drive	New Brunswick NJ	8906 US	LEED NC 2.2	No	No	Other	25500	D Health Care, Laboratory/UMDNJ	1/19/2007
10059782 No	United Security Forces Ops Fac. Ph 1	Vandenberg Ave	NJ	8641 US	LEED NC 2.2	No	No	Federal Government	20742	Military Base	6/9/2008
10022728 No	United County Vehicle Storage Building	300 North Avenue	Westfield NJ	7096 US	LEED NC 2.2	No	No	Local Government	9650	Public-Off/Offices, Other/County	5/19/2008
10051526 No	Upper Merion Center	81 213	Towaco NJ	8859 US	LEED NC 2.2	No	No	Non-Profit Org.	20377	Multi-Unit Residences, S	6/28/2007
10042481 No	Upper & Middle School Academic Center	42 Newwood Avenue	Summit NJ	07002-0308 US	LEED NC 2.2	No	No	Other	50475	K-12 Education, Comp/Elementary Public School	1/11/2007
10051262 No	Van Lear Place North	110 Hoboken Ave	Jersey City NJ	7310 US	LEED NC 2.2	No	No	Profit Org.	20700	Multi-Unit Residences	6/28/2007
10050556 No	Van Lear Place South	137-139 Hoboken Ave	Jersey City NJ	7310 US	LEED NC 2.2	No	No	Profit Org.	407960	Commercial Office, Mnl	5/10/2007
10052132 No	Veteran's Housing	101 South 3rd Avenue	Highland Park NJ	8854 US	LEED NC 2.2	No	No	Non-Profit Org.	8000	Multi-Unit Residences, C	6/24/2009
10052286 No	Victoria Field House	Belgrave Drive	Keansy NJ	7020 US	LEED NC 2.2	No	No	Local Government	1000	Recreation	6/28/2009
10059209 No	Virata Health - Voorhees Res. Facility	145 South Route 73	Voorhees NJ	8041 US	LEED NC 2.2	No	No	Non-Profit Org.	64147	Health Care	2/25/2008
10058107 No	Walden	250 Colonial Dr	Berkeley Heights NJ	8500 US	LEED NC 2.2	No	No	Profit Org.	15000	Multi-Unit Residences	5/02/2007
10161747 No	Waldenwood municipal center	River Road	Edgewater NJ	7020 US	LEED NC 2.2	No	No	Local Government	24000	Public-Off/Offices	12/18/2007
10020626 No	Walrus place	100-128 Walden Ave	Hoboken NJ	7030 US	LEED NC 2.2	No	No	Individual	13000	Multi-Unit Residences, O	2/27/2008
10052714 No	Warehousing	1305 Woodland Avenue	Borough of Gladstone NJ	8029 US	LEED ND 1.0 P/Prk	No	No	Local Government	207000	Commercial Office, Ret	6/28/2007
10164362 No	Wardell Bath Design Showroom	935 Route 22 West	North Plainfield NJ	7060 US	LEED Retail (CI) 1.0 P/Prk	No	No	Profit Org.	11245	16162 Retail	1/4/2008
10030520 No	Washburn Plaza 1 Dining Commons	1405 Washington Ave	Norfolk NJ	8015 US	LEED NC 2.2	No	No	Non-Profit Org.	24200	D K-12 Education, Comp/Elementary Preparatory School	5/10/2007
10080750 No	Wayne Center for Lifelong Learning	1660 Shelton Road	Newark NJ	8854 US	LEED For Schools 2.0	No	No	State Government	89138	K-12 Education, Comm/Middle/Junior Regional Educ	5/10/2007
100013420 No	WBC Branch Bank - Laxaville	2205 Grand Central Ave	Laxaville NJ	8755 US	LEED-CI v009/0 No	No	No	Profit Org.	17000	PHC Financial Services Corp	3/24/2010
100000226 No	WDC South Street	445 South Street	Morris Township NJ	7960 US	LEED-CI v009/0 No	No	No	Local Government	1000	Advance Realty Group	10/29/2009
100011117 No	Went Inc - Princeton	13,000 Lincoln Drive West	Marlton NJ	8051 US	LEED-CI v009/0 No	No	No	16872	Liberty Property Trust	11/23/2010	
100012123 No	Went Inc - Princeton	500 College Road	Princeton NJ	8540 US	LEED-CI v009/0 No	No	No	40774	Deloitte	1/11/2011	
100000278 No	Went Inc at Waterfront Tech Center	200 Federal St	Camden NJ	8801 US	LEED-CI v009/0 No	No	No	20000	NI Economic Development	5/20/2009	
100000525 No	WGB International Inc Head Quarters	1190a New Row	New Brunswick NJ	8801 US	LEED-CI v009/0 No	No	No	8600	GBB International Inc	4/27/2010	
100000770 No	Widely Property Trust New Jersey Office	180 Fellowship Road	Mount Laurel NJ	8054 US	LEED-CI v009/0 No	No	No	4214	Commercial Office, Ret	9/18/2010	
100013371 No	Wideman Mt Laurel Office	701 East Gate Drive	Mt Laurel NJ	8054 US	LEED-CI v009/0 No	No	No	9000	MadGrass Associates	2/28/2011	
100010701 No	Wideman & McCann Compass	445 South Street	Morris NJ	7960 US	LEED-CI v009/0 No	No	No	42383	Marsh & McCann Compas	11/9/2010	
100011399 No	Wideman Cottages	3415 Valley Road	Liberty Corner NJ	7980 US	LEED-CI v009/0 No	No	No	14079	Roanac Inc	3/1/2011	
100008011 No	Wideman Corporate Station	134 Madison Ave.	Morris NJ	7980 US	LEED-CI v009/0 No	No	No	70551	Morisco	7/27/2010	
100008011 No	NMDC Visionary Reconstruction	Medical Science Building	Newark NJ	28845	LEED-CI v009/0 No	No	No	28845	UMDNJ	8/25/2010	
100011077 No	PS&E Customer Service Center	90 Albany Street	New Brunswick NJ	8901 US	LEED-CI v009/0 No	No	No	1932	PS&E	11/18/2010	
100000214 No	PS&E Office for Davis Land Lease	200 Princeton South Corporate Center	Ewing NJ	8028 US	LEED-CI v009/0 No	No	No	924	Rovis Land Lease	8/15/2010	
100001257 No	PS&E	165 South Street	Morris NJ	7960 US	LEED-CI v009/0 No	No	No	5000	Recorder	8/18/2009	
100000266 No	PS&E 401 Floor Display	125 Pleasantview Terrace	Ridgefield NJ	7857 US	LEED-CI v009/0 No	No	No	112773	Garympe Corporation	11/23/2009	
100008656 No	Regent Cell and DNA Repository	604 Newark Road	Piscataway NJ	7023 US	LEED-CI v009/0 No	No	No	12277	Regent University	7/16/2010	
100011910 No	RH Office - 200 Davidson Ave	200 Davidson Ave	Somerset NJ	8873 US	LEED-CI v009/0 No	No	No	235000	DHJ	1/4/2011	
100000010 No	RH Office - Harbor Hotel	500 Harbor Boulevard	Westfield NJ	7050 US	LEED-CI v009/0 No	No	No	165500	Hart's Mountain Industries	9/16/2009	
100006707 No	TD Ameritrade - Paramus NJ	185 Route 17 North	Paramus NJ	7652 US	LEED-CI v009/0 No	No	No	5200	Jones Lang LaSalle	6/1/2010	
100000740 No	TD Bank - Paterson	301 Main Street	Paterson NJ	7055 US	LEED-CI v009/0 No	No	No	4778	TD Bank	7/19/2010	
100011946 No	TD Bank Capital Bank West Orange	464 Eagle Rock Ave.	West Orange NJ	7023 US	LEED-CI v009/0 No	No	No	5277	TD Bank Capital Bank	7/19/2010	
100014611 No	Turner Construction - Morristown	3 Ferguson Drive	Morristown NJ	7342 US	LEED-CI v009/0 No	No	No	13825	Turner Construction	3/9/2011	
100008010 No	US Bank Avenue Madison	175 South Main Street	Madison NJ	7940 US	LEED-CI v009/0 No	No	No	20000	The Hampshire Companies	7/23/2009	
100003008 No	Greenwood Property Group CS	122 Main Street	Madison NJ	7940 US	LEED-CS v1000 No	No	No	29000	Greenwood Property Group	12/10/2009	
100000773 No	Turner Construction - Morristown	175 South Main Street	Madison NJ	7940 US	LEED-CI v009/0 No	No	No	28704	Turner Construction	11/8/2009	
100000726 No	Next Gen Aviation Park - Building 3	Block 101	Egg Harbor Township NJ	8234 US	LEED-CI v009/0 No	No	No	62427	South Jersey Economic Dev	5/6/2010	
100006249 No	PRCP	1275 Madison Avenue	Camden NJ	8101 US	LEED-CS v1000 No	No	No	22000	PRCP	5/6/2010	
100000000 No	Princeton Medical Arts Pavilion	81 S	Princeton NJ	84478 US	LEED-CI v009/0 No	No	No	144788	Tennet/UMC Group Company	4/7/2011	
100014105 No	Prologis Park Secaucus Bldg 1	One Enterprise Avenue	Secaucus NJ	7094 US	LEED-CS v1000 No	No	No	101660	Prologis	9/29/2009	
100001709 No	Shoring Building	809-811 South Broad Street	Trenton NJ	8811 US	LEED-CS v1000 No	No	No	12825	Trenton Mills, LLC	9/29/2009	
100011809 No	506 Allen Road	506 Allen Road	Jersey City NJ	7325 US	LEED-E8-OM v009/0 No	No	No	13020	High Point Prison Developme	11/23/2010	
100011081 No	95 Greene Street LLC	95 Greene Street	Jersey City NJ	7325 US	LEED-E8-OM v009/0 No	No	No	300000	95 Greene Street LLC	11/23/2010	
1000100170 No	HILLMAN RENOVATION	897 S. 206th Street	HILLSIDE, NJ	7000 US	LEED-E8-OM v009/0 No	No	No	6231	Assembly	12/1/2009	
100001325 No	Design Ideas Group Office	15 Bethany Street	New Brunswick NJ	8901 US	LEED-E8-OM v009/0 No	No	No	8284	Design Ideas Group	12/22/2009	
1000011130 No	Hart Mountain 400 Plaza Drive	400 Plaza Drive	Secaucus NJ	7096 US	LEED-E8-OM v009/0 No	No	No	26000	Hart Mountain	8/10/2009	
100012678 No	High Point Solutions, Inc.	5 Gal Ovi	Sparta NJ	7873 US	LEED-E8-OM v009/0 No	No	No	11000	High Point Solutions Inc	9/13/2010	
1000009752 No	Hyatt Regency New Brunswick	2 Albany Street	New Brunswick NJ	8901 US	LEED-E8-OM v009/0 No	No	No	385104	Hyatt Regency New Bruns	10/5/2010	
100010070 No	JKM	3401 State Parkway	Linden NJ	8500 US	LEED-E8-OM v009/0 No	No	No	30000	JKM	1/19/2010	
100011719 No	Kohl's Hackettstown	1885 State Route 57	Manfield Township NJ	7840 US	LEED-E8-OM v009/0 No	No	No	96079	Kohl's Department Stores	2/2/2011	
100011724 No	Kohl's Hackettstown	1885 State Route 57	Manfield Township NJ	7840 US	LEED-E8-OM v009/0 No	No	No	96079	Kohl's Department Stores	2/2/2011	
100012722 No	Kohl's Hackettstown	460 Market Street Blvd	Hackettstown Township NJ	8481 US	LEED-E8-OM v009/0 No	No	No	92884	Kohl's Department Stores	2/2/2011	
100010744 No	Kohl's Howell	4799 US Hwy 9	Howell NJ	7731 US	LEED-E8-OM v009/0 No	No	No	95235	Kohl's Department Stores	2/2/2011	
100010744 No	Kohl's Madison	1100 Consumer Square	Madison NJ	7940 US	LEED-E8-OM v009/0 No	No	No	95503	Kohl's Department Stores	9/16/2010	
100009382 No	Kohl's Old Bridge	1043 Route 9 North	Old Bridge NJ	8879 US	LEED-E8-OM v009/0 No	No	No	99193	Kohl's Department Stores	9/16/2010	
100012742 No	Kohl's Philadelphia	1200 US Hwy 2	Philadelphia NJ	8865 US	LEED-E8-OM v009/0 No	No	No	96882	Kohl's Department Stores	2/2/2011	
100012742 No	Kohl's Princeton	200 Nassau Park Blvd.	Princeton NJ	8540 US	LEED-E8-OM v009/0 No	No	No	14617	Kohl's Department Stores	2/2/2011	
100009987 No	Kohl's Ramsey	1300 State Hwy 17	Ramsey NJ	7446 US	LEED-E8-OM v009/0 No	No	No	109226	Kohl's Department Stores	9/16/2010	
1000000161 No	MEADOWLANDS ENVIRONMENTAL CENTER	2100 NORTH PARK PLAZA	LYNCHBURST NJ	7055 US	LEED-E8-OM v009/0 No	No	No	176000	SIP Properties	11/6/2009	
100010714 No	Morri Corporate Center	379 Interpace Parkway	Parlin Jersey NJ	7054 US	LEED-E8-OM v009/0 No	No	No	17000	SIP Properties	11/6/2009	
100000776 No	Morri Corporate Center	380 Interpace Parkway	Parlin Jersey NJ	7054 US	LEED-E8-OM v009/0 No	No	No	17000	SIP Properties	11/6/2009	
1000003039 No	NMDC ADMINISTRATION BUILDING	1 LINDICOTT PARK PLAZA	LYNCHBURST NJ	7055 US	LEED-E8-OM v009/0 No	No	No	34000	State Government	Commercial Office	
100008774 No	Newport Tower	525 Washington Blvd	Jersey City NJ	7325 US	LEED-E8-OM v009/0 No	No	No	1059399	Brookfield	8/4/2010	
100008774 No	Newport Tower	525 Washington Blvd	Jersey City NJ	7325 US	LEED-E8-OM v009/0 No	No	No	1059399	Brookfield	8/4/2010	
100007255 No	Ricoh Americas Corporation Headquarters	5 Derrick Place	West Caldwell NJ	7006 US	LEED-E8-OM v009/0 No	No	No	139478	Ricoh Americas Corporatio	6/28/2010	
100000096 No	Ricoh Americas Corporation Building 500	80 Livingston Avenue	Roseland NJ	7006 US	LEED-E8-OM v009/0 No	No	No	96230	4418997	Prudential Financial, Inc.	6/18/2009
100011078 No	Somerset Corporate Center 400	500 Corporate Boulevard	Bridgewater NJ	8807 US	LEED-E8-OM v009/0 No	No	No	310000	SEC Building IV LLC	11/23/2010	
1000010076 No	Somerset Corporate Center Building 100	100 Corporate Boulevard	Bridgewater NJ	8807 US	LEED-E8-OM v009/0 No	No	No	310000	SEC Building IV LLC	11/23/2010	
100009823 No	Somerset Corporate Center Building 200	200 Somerset Corporate Boulevard	Bridgewater NJ	7054 US	LEED-E8-OM v009/0 No	No	No	256000	Commercial Office	SCC BUILDING III, LLC	
100000623 No	Somerset Corporate Center Building 300	300 Corporate Boulevard	Bridgewater NJ	8807 US	LEED-E8-OM v009/0 No	No	No	310000	Commercial Office	SCC BUILDING III, LLC	
1000006487 No	Somerset Corporate Center Building 400	400 Corporate Boulevard	Bridgewater NJ	8807 US	LEED-E8-OM v009/0 No	No	No	310000	Commercial Office	SCC BUILDING III, LLC	
100008659 No	Southside Culture Archibex, PC	25 Pomona Rd	Sparta NJ	7873 US	LEED-E8-OM v009/0 No	No	No	51848	Commercial Office	5/6/2010	
1000008719 No	Waterfront Corporate Center Phase II	131 River Street	Hoboken NJ	7030 US	LEED-E8-OM v009/0 No	No	No	2900	Commercial Office	5/6/2010	
100000178 No	Was Office 07A	307 Deer Rd	Cherry Hill NJ	8034 US	LEED-E8-OM v009/0 No	No	No	3736	Was & Associates	12/17/2009	
100011112 No	218 110th Street	218 110th Street	Hoboken NJ	7030 US	LEED-E8-OM v009/0 No	No	No	2300	W&A	2/15/2011	
100009320 No	510 Sands Avenue	510 Sands Avenue	Deerfield Township NJ	8332 US	LEED-E8-OM v009/0 No	No	No	1360	Commercial Office	12/29/2009	
100000506 No	All Granite and Marble Corp	1A Mount Vernon Street	Ridgefield Park NJ	7660 US	LEED-E8-OM v009/0 No	No	No	17600	All Granite and Marble Co	3/4/2010	
100007667 No	Atlantic Cape Community College	1500 Black Horse Pike	Mays Landing NJ	8330 US	LEED-E8-OM v009/0 No	No	No	32100	Atlantic Cape Community C	7/19/2010	
100012603 No	Blinkin To Go Training/Development Center	101 Route 4 West	Paramus NJ	7652 US	LEED-E8-OM v009/0 No	No	No	24000	Blinkin To Go Inc	1/11/2011	
100001891 No	Building 021	460 Clark Street	Trenton NJ	8481 US	LEED-E8-OM v009/0 No	No	No	14900	HQC Development Associa	3/2/2011	
100001045 No	Camden Kids Preschool and Com Learn Ctr	550 Mt. Vernon At South Broadway	Camden NJ	8101 US	LEED-E8-OM v009/0 No	No	No	36410	Neighborhood Housing Ser	7/28/2009	
100009007 No	City of Union Sewer	294 Avenue P	Newark NJ	7205 US	LEED-E8-OM v009/0 No	No	No	49000	City of Union	9/23/2009	
100002317 No	Complete Renovation of NBSA HQ Offices	413 West State Street	Trenton NJ	8608 US	LEED-E8-OM v009/0 No	No	No	31195	38400	New Jersey School Board	
100001249 No	DLX 10471	375 HENRIKRAMACK ROAD	WESTWOOD NJ	7075 US	LEED-E8-OM v009/0 No	No	No	16000	20379	DAMP/CLIN & ASD.	
100											