



## Energy Benchmarking 'Snapshot' Cherry Hill Township School District Cherry Hill, NJ

**2007-2008**

Schools	U.S. EPA <i>Portfolio Manager</i> Score	New Jersey State Schools (Annual Data)					
		Total Energy Use (kBtu/ft <sup>2</sup> )	Electric Use (kWh/ft <sup>2</sup> )	Heating Fuel Use (kBtu/ft <sup>2</sup> )	Heating Fuel Use (Btu/ft <sup>2</sup> / HDD)	Total Energy Cost (\$/ft <sup>2</sup> )	Total Energy Cost (\$/student)
'07-'08 NJ Average	50	77	5.7	53	11.6	\$1.86	\$225
Barclay E.E.C.	53	87.5	5.1	70.1	16.2	\$2.11	\$241
Barton E.S.	77	50.3	5.6	31.3	7.3	\$1.40	\$118
Beck M.S.	59	77.2	8.1	49.4	11.5	\$2.01	\$256
Carusi M.S.	76	65.0	6.6	42.5	9.9	\$1.75	\$229
Cherry Hill H.S. East	78	75.6	7.4	50.5	11.7	\$1.86	\$319
Cherry Hill H.S. West	77	72.8	7.7	46.5	10.8	\$1.70	\$313
Cooper E.S.	62	57.8	4.7	41.6	9.6	\$1.49	\$224
Harte E.S.	63	56.5	5.0	39.3	9.1	\$1.43	\$204
Johnson E.S.	52	71.3	5.4	52.7	12.2	\$1.80	\$204
Kilmer E.S.	45	69.9	4.9	53.1	12.3	\$1.70	\$207
Kingston E.S.	37	86.9	5.4	68.6	15.9	\$2.02	\$231
Knight E.S.	68	61.6	5.0	44.5	10.3	\$1.61	\$179
Malberg Admin/Alt. H.S.	24	83.6	8.1	56.1	13.0	\$2.27	\$2036
Mann E.S.	79	46.1	5.6	26.9	6.2	\$1.26	\$162

<b>Paine E.S.</b>	<b>69</b>	<b>53.7</b>	<b>4.9</b>	<b>37.0</b>	<b>8.6</b>	<b>\$1.44</b>	<b>\$223</b>
<b>Rosa M.S.</b>	<b>83</b>	<b>67.0</b>	<b>6.5</b>	<b>44.7</b>	<b>10.4</b>	<b>\$1.81</b>	<b>\$204</b>
<b>Sharp E.S.</b>	<b>67</b>	<b>60.2</b>	<b>4.8</b>	<b>43.7</b>	<b>10.1</b>	<b>\$1.53</b>	<b>\$180</b>
<b>Stockton E.S.</b>	<b>25</b>	<b>90.3</b>	<b>6.0</b>	<b>69.8</b>	<b>16.2</b>	<b>\$2.17</b>	<b>\$272</b>
<b>Woodcrest E.S.</b>	<b>64</b>	<b>56.3</b>	<b>7.0</b>	<b>32.3</b>	<b>7.5</b>	<b>\$1.77</b>	<b>\$181</b>
<b>District Average</b>	<b>60.9</b>	<b>70.1</b>	<b>6.6</b>	<b>47.5</b>	<b>11.0</b>	<b>\$1.77</b>	<b>\$251</b>



## Energy Benchmarking 'Snapshot' Cherry Hill Township School District Cherry Hill, NJ

**2006-2007**

<b>Schools</b>	<b>U.S. EPA Portfolio Manager Score</b>	<b>New Jersey State Schools (Annual Data)</b>					
		<b>Total Energy Use (kBtu/ft<sup>2</sup>)</b>	<b>Electric Use (kWh/ft<sup>2</sup>)</b>	<b>Heating Fuel Use (kBtu/ft<sup>2</sup>)</b>	<b>Heating Fuel Use (Btu/ft<sup>2</sup>/ HDD)</b>	<b>Total Energy Cost (\$/ft<sup>2</sup>)</b>	<b>Total Energy Cost (\$/student)</b>
<b>Barclay E.E.C.</b>	<b>59</b>	<b>76.4</b>	<b>5.6</b>	<b>57.4</b>	<b>13.0</b>	<b>\$1.87</b>	<b>\$213</b>
<b>Barton E.S.</b>	<b>74</b>	<b>55.1</b>	<b>5.3</b>	<b>36.9</b>	<b>8.3</b>	<b>\$1.35</b>	<b>\$114</b>
<b>Beck M.S.</b>	<b>71</b>	<b>62.9</b>	<b>7.9</b>	<b>36.0</b>	<b>8.1</b>	<b>\$1.66</b>	<b>\$212</b>
<b>Carusi M.S.</b>	<b>79</b>	<b>64.7</b>	<b>6.1</b>	<b>43.8</b>	<b>9.9</b>	<b>\$1.54</b>	<b>\$201</b>
<b>Cherry Hill H.S. East</b>	<b>82</b>	<b>73.5</b>	<b>6.3</b>	<b>52.0</b>	<b>11.7</b>	<b>\$1.70</b>	<b>\$293</b>
<b>Cherry Hill H.S. West</b>	<b>76</b>	<b>71.7</b>	<b>7.9</b>	<b>44.8</b>	<b>10.1</b>	<b>\$1.33</b>	<b>\$245</b>
<b>Cooper E.S.</b>	<b>69</b>	<b>54.4</b>	<b>4.2</b>	<b>40.0</b>	<b>9.0</b>	<b>\$1.30</b>	<b>\$195</b>
<b>Harte E.S.</b>	<b>71</b>	<b>49.6</b>	<b>4.9</b>	<b>32.7</b>	<b>7.4</b>	<b>\$1.25</b>	<b>\$179</b>
<b>Johnson E.S.</b>	<b>52</b>	<b>71.6</b>	<b>5.4</b>	<b>53.3</b>	<b>12.0</b>	<b>\$1.58</b>	<b>\$180</b>

<b>Kilmer E.S.</b>	<b>51</b>	<b>63.8</b>	<b>5.0</b>	<b>46.8</b>	<b>10.6</b>	<b>\$1.45</b>	<b>\$177</b>
<b>Kingston E.S.</b>	<b>34</b>	<b>91.2</b>	<b>5.3</b>	<b>73.3</b>	<b>16.5</b>	<b>\$1.99</b>	<b>\$228</b>
<b>Knight E.S.</b>	<b>61</b>	<b>66.4</b>	<b>5.2</b>	<b>48.6</b>	<b>11.0</b>	<b>\$1.53</b>	<b>\$170</b>
<b>Malberg Admin/Alt. H.S.</b>	<b>18</b>	<b>82.3</b>	<b>8.9</b>	<b>52.1</b>	<b>11.7</b>	<b>\$2.14</b>	<b>\$1921</b>
<b>Mann E.S.</b>	<b>78</b>	<b>48.8</b>	<b>5.5</b>	<b>29.9</b>	<b>6.8</b>	<b>\$1.19</b>	<b>\$154</b>
<b>Paine E.S.</b>	<b>74</b>	<b>50.4</b>	<b>4.6</b>	<b>34.7</b>	<b>7.8</b>	<b>\$1.23</b>	<b>\$190</b>
<b>Rosa M.S.</b>	<b>81</b>	<b>69.9</b>	<b>6.6</b>	<b>47.6</b>	<b>10.7</b>	<b>\$1.66</b>	<b>\$187</b>
<b>Sharp E.S.</b>	<b>75</b>	<b>54.4</b>	<b>4.5</b>	<b>38.9</b>	<b>8.8</b>	<b>\$1.29</b>	<b>\$152</b>
<b>Stockton E.S.</b>	<b>41</b>	<b>73.7</b>	<b>5.6</b>	<b>54.5</b>	<b>12.3</b>	<b>\$1.69</b>	<b>\$211</b>
<b>Woodcrest E.S.</b>	<b>72</b>	<b>51.7</b>	<b>6.3</b>	<b>30.2</b>	<b>6.8</b>	<b>\$1.42</b>	<b>\$145</b>
<b>District Average</b>	<b>64.1</b>	<b>67.3</b>	<b>6.3</b>	<b>45.7</b>	<b>10.3</b>	<b>\$1.54</b>	<b>\$218</b>