Public Service Electric and Gas Company Net Meter Report January 2011 - June 2011

			rotai			
	kW Generation	kW Generation	kW Generation	Number of	Number of Wind	Total Number of
	Ratings Solar	Ratings Wind	Rating	Solar Systems	Systems	Systems
System Added						
January	2,629.15	0	2,629.15	135	0	135
February	2,529.07	0	2,529.07	148	0	148
March	9,510.75	0	9,510.75	229	0	229
April	7,338.06	0	7,338.06	154	0	154
May	9,087.67	0	9,087.67	156	0	156
June	8,802.40	0	8,802.40	169	<u>0</u>	169
	39,897.108	0	39,897.108	991	0	991

Total Systems at end of Reporting Period

127,209.587	15	127,224.587	3,232	2	3,234

Tatal

Cumulative Totals

										Number of
				Total		Est kWh Supplied	Est kWh Delivered to		Number of	Accounts that rec'd
		Total Generation	Total Generation	Generation	Current Month kWh	to EDC by Cust-	Cust-Generators by	Anniversary	Accounts with	Anniversary
Month	Days	Ratings Solar	Ratings Wind	Ratings	Consumption	Generators	EDC	Credits	Anniversary	Credits
January	31	2,629.15			85,877,161	412,473	85,464,688	(\$6,320.94)	309	29
February	28	2,529.07			78,077,169	793,720	77,283,449	(\$2,137.55)	358	20
March	31	9,510.75			88,612,659	1,175,229	87,437,430	(\$3,343.99)	374	47
April	30	7,338.06			89,129,669	1,148,464	87,981,205	(\$8,664.92)	374	63
May	30	9,087.67			99,183,629	1,142,931	98,040,698	(\$5,075.29)	299	84
June	30	8,802.40			81,606,275	722,386	80,883,889	(\$3,427.50)	245	41
Total		39,897.108	15	39,912.108	522,486,562	5,395,203	517,091,359	(\$28,970.19)	1959	284

1. This represents the number of systems. A single customer may have multiple systems.

2. The monthly estimated solar generation is based on the total generation rating of systems installed and activated by the end of each month during the reporting period times the solar array's inverter estimated efficiency (80%) * 4.5 (NREL's average hours of sunlight per day for New Jersey) * calendar days for month. This Formula is based on an annual standard used in other Company Jurisdictions. Note that this estimate does not take into account the variations in the site-specific installation details, such as array orientation, tracking devices and obstacles that can cast a shadow) and/or panels that fail to meet the manufacturer's minimum output rating. It also does not take into consideration that the average hours of sunlight per day may differ for different months. (b*.8*4.5*a).

3. The estimated kilowatt hours delivered to the customer-generator through the distribution system is calculated by taking the customer-generator energy supplied to the distribution system plus the customer-generators' actual consumption either positive or negative for the billing months during the reporting period.