

# INTERCONNECTION APPLICATION AND AGREEMENT

With Terms and Conditions for Interconnection

For a Level 2 & 3 Review (Certified Inverter-based Units over 10kW)

Mailing Address PSE&G Net Metering 750 Walnut Avenue Cranford, NJ 07016

Meter Change Outs Construction Inquiry (800) 722-0256, Option 3 cinetmeter@pseg.com

# **Technical Issues**

Don Cooke (973) 430-7419 donald.cooke@pseg.com

# INTERCONNECTION AGREEMENT FOR LEVEL 2 OR LEVEL 3 PROJECTS

- 1) Scope and Limitations of Agreement. This Agreement shall be used for all approved Level 2 and Level 3 Interconnection Requests according to the procedures set forth by the New Jersey Board of Public Utilities' ("NJ BPU") regulations. This Agreement is applicable to conditions under which the EDC and the Customer-Generator agree that one or more generating facilities as further described in Attachment A ("Facility" or "Facilities"), with an installed nameplate gross capacity of \_ kW, and are to be interconnected at distribution voltages that do not fall under PJM's jurisdiction, may be interconnected to the EDC's system. The facility may be used for exporting retail electricity to the EDC's distribution system only as required for specific net metering regulations stipulated by the NJ BPU. Other than these regulations pertaining to netting generation credits for excess generation, this Agreement does not constitute an agreement to purchase or deliver the Customer-Generator's power. This Agreement is not applicable to purchases of power under any EDC Qualifying Facility power purchase tariff, or for wholesale transactions as defined by the Federal Energy Regulatory Commission ("FERC"), and which are included as part of a PJM Wholesale Market Participation Agreement ("WMPA"). A WMPA uses a separate form of Interconnection Agreement with the EDC.
- 2) Construction of the Customer-Generator Facility. The Customer-Generator may proceed to construct the Customer-Generator Facility once the approval to install the Customer-Generator Facility has been received from the EDC. The Customer-Generator Facility shall be constructed in accordance with information provided in the

1

Interconnection Application, the National Electrical Code ("NEC"), IEEE 1547 and the NJ BPUs' regulations.

The Applicant shall notify the EDC of any changes to the originally proposed Level 2 or 3 Customer-Generator Facility that would be subject to further review (e.g., Inverter Manufacturer/Model Number, Size, etc.).

Once an Interconnection Request is deemed complete, any modification to the proposed Customer-Generator Facility that would affect the application review criteria for a Level 2 or 3 project, and is not agreed to in writing by the EDC, shall require submission of a new Interconnection Application.

- 3) Interconnection. The Customer-Generator may interconnect and operate the Customer-Generator Facility with the EDC's system once all of the following conditions precedent have been satisfied:
  - a) Electrical Inspection: Upon completing construction, the Customer-Generator shall have the Customer-Generator Facility inspected, or otherwise certified, by the local electrical wiring inspection authority having jurisdiction to ensure that the facility meets the requirements of the NEC.
  - b) Certificate of Completion: The Applicant shall provide the EDC with a completed copy of the Certificate of Completion, including evidence of the electrical inspection by the local authority having jurisdiction. The evidence of completion of the electrical inspection may be provided on inspection forms used by local inspecting authorities.
  - c) Inspection: The EDC has either completed its inspection or waived the right to inspection in this Agreement. After receipt of the Certificate of Completion, the EDC may, upon reasonable notice and at a mutually convenient time, conduct an inspection of the Customer-Generator Facility and observe a Witness Test to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with its requirements. "Witness Test" means the verification by an on-site observation by the EDC that the interconnection installation evaluation required by Section 5.3 of IEEE Standard

1547 and the commissioning test required by Section 5.4 of IEEE Standard 1547 have been adequately performed.

- d) Metering: Revenue quality metering equipment shall be installed and tested by the EDC. The EDC may choose to schedule the Witness Test also at this time. The Customer-Generator may be responsible for the cost of the purchase, installation, operation, maintenance, testing, repair, and replacement of metering and data acquisition equipment. The Customer-Generator may also be required to provide a voice-quality phone line within 3 feet of the meter to allow EDC to remotely interrogate the meter.
- e) Breaker Trip Control: Generators 1 MW and greater may require remote generator trip/isolation control by the EDC's system operations control center via a local SCADA unit or similar device.
- f) Acceptance: The EDC's representative has signed and returned the Certificate of Completion or provided notification by electronic mail or other acceptable means that the requirements for interconnection are complete and interconnection of the Customer-Generator Facility is accepted for parallel operation.
- g) Special Procedures for Parallel Operation: Once the Customer-Generator Facility has been authorized to commence parallel operation, the Customer-Generator shall abide by any special written rules and procedures developed by the EDC which pertain to the parallel operation of the Customer-Generator Facility, and which are clearly specified in Attachment C of this Agreement.

### 4) Operation:

- a) Applicable Standards: The Customer-Generator shall construct, own, operate, and maintain its Customer-Generator Facility in accordance with this Agreement, IEEE Standard 1547, the National Electrical Safety Code ("NESC"), the NEC, and applicable standards promulgated by the NJ BPU.
- b) Areas of Responsibility: Each Party shall operate, maintain, repair, and inspect, and shall be fully responsible for the facilities that it now or subsequently may own unless otherwise specified in the attachments to this Agreement. Each Party shall be responsible for the safe installation, maintenance, repair, and condition of their respective lines and appurtenances on their respective sides of the Point of Common Coupling.

- c) Minimization of Adverse System Impact: The Customer-Generator agrees to design, install, maintain, and operate its Customer-Generator Facility so as to minimize the likelihood of causing an adverse system impact on an electric system that is not owned or operated by the EDC.
- d) Reactive Power: The Customer-Generator shall design its Customer-Generator Facility to maintain a composite power delivery at continuous rated power output at the Point of Common Coupling at a power factor within the power factor range required by the EDC's applicable tariff for a comparable load customer.
- 5) Periodic Testing. All interconnection-related protective functions and associated batteries shall be periodically tested at intervals specified by the manufacturer, system integrator, or other authority that has jurisdiction over the Customer-Generator Facility interconnection. Periodic test reports or a log for inspection shall be maintained.
- 6) **Safe Operations and Maintenance.** The Customer-Generator shall be fully responsible to operate, maintain, and repair the Customer-Generator Facility as required to ensure that the Customer-Generator Facility complies at all times with the interconnection standards it has been certified to meet.
- 7) Access. The EDC shall have access to the metering equipment and the disconnecting means of the Customer-Generator Facility at all times. The EDC shall provide reasonable notice to the Customer-Generator, when possible, prior to using its right of access. In an emergency or outage situation, where there is no access to an AC disconnecting means such as a switch or breaker, the EDC may disconnect the service to the premise.
- 8) Exterior AC Disconnect Switch / Isolation Device. Small generator facilities shall be capable of being isolated from the EDC by means of a lockable, visible-break isolation device accessible by the EDC in accordance with NEC requirements. The isolation device shall be installed, owned and maintained by the Customer-Generator and located between the small generation facility and the point of interconnection. A draw-out type circuit breaker with a provision for padlocking at the draw-out position

can be considered an isolation device for purposes of this requirement. A Customer-Generator may elect to provide the EDC access to an isolation device that is contained in a building or area that may be unoccupied and locked, or not otherwise readily accessible to the EDC, by installing a lockbox for use solely by the EDC for obtaining access to the isolation device. The Customer-Generator shall install the lockbox in a location that is readily accessible by the EDC and the Customer-Generator, and shall permit the EDC to affix a placard in a location of its choosing that provides clear instructions to EDC operating personnel on access to the isolation device. The Customer-Generator, at its option, may provide and install this placard.

- 9) Conflicts in Agreements. Nothing in this Agreement is intended to affect any other agreement between the EDC and the Customer-Generator. However, in the event that the provisions of this Agreement are in conflict with the provisions of the EDC's tariff, the EDC tariff shall control.
- Disconnection. The EDC may temporarily disconnect the Customer-Generator Facility upon occurrence of any of the following conditions:
  - a) For scheduled outages upon reasonable notice,
  - b) For unscheduled outages or emergency conditions,
  - c) If the EDC determines that the Customer-Generator Facility does not operate in a manner consistent with this Application/Agreement,
  - d) If the EDC determines that continued operation of the Customer-Generator Facility is a safety hazard to the EDC's personnel or to the general public,
  - e) In the event the interconnection equipment used by the Customer-Generator Facility is de-listed by the Nationally Recognized Testing Laboratory that provided the listing at the time the interconnection was approved and the EDC ascertains that the continued operation has the potential to cause a safety, reliability or a power quality problem.

### 11) Customer-Generator Billing and Payment:

 Payment for Interconnection Facilities: The Customer-Generator shall pay for the cost of the Interconnection Facilities itemized in Attachment E of this Agreement. If a study was performed, the EDC shall identify the Interconnection Facilities necessary to safely interconnect the Customer-Generator's facility with the EDC's Electric Distribution System, the cost of those facilities, and the time required to build and install those facilities.

- b) Scope of Cost for Interconnection Facilities: The EDC shall bill the Customer-Generator for the design, engineering, procurement, construction, and commissioning costs of EDC provided interconnection facilities and distribution upgrades contemplated by this Agreement as set forth in Attachment G, on a monthly basis, or as otherwise agreed by the Parties. The Customer-Generator shall pay each bill within 30 calendar days of receipt, or as otherwise agreed to by the Parties.
- True-Up of Actual Costs: Within one hundred and twenty (120) calendar days of C) completing the construction and installation of the EDC's interconnection facilities and Distribution Upgrades described in the Attachments E and G to this Agreement, the EDC shall provide the Customer-Generator with a final accounting report of any difference between (1) the actual cost incurred to complete the construction and installation and the budget estimate provided to the Customer-Generator and a written explanation for any significant variation; and (2) the Customer-Generator's previous deposit and aggregate payments to the EDC for such interconnection facilities and distribution upgrades. If the Customer-Generator's cost responsibility exceeds its previous deposit and aggregate payments, the EDC shall invoice the Customer-Generator for the amount due and the Customer-Generator shall make payment to the EDC within thirty (30) calendar days. If the Customer-Generator's previous deposit and aggregate payments exceed its cost responsibility under this Agreement, the EDC shall refund to the Customer-Generator an amount equal to the difference within thirty (30) calendar days of the final accounting report.
- d) Deposit: At least twenty (20) business days prior to the commencement of the design, procurement, installation, or construction of a discrete portion of the EDC's interconnection facilities and distribution upgrades, the Customer-Generator shall provide the EDC with a deposit equal to 100% of the estimated costs prior to its beginning design of such facilities.
- e) Modification of the Customer-Generator Facility: The Customer-Generator must receive written authorization from the EDC prior to making any change to the

Customer-Generator Facility, other than a minor equipment modification, that could cause an Adverse System Impact. If the Customer-Generator makes such modification without the EDC's prior written authorization, the EDC shall have the right to temporarily disconnect the Customer-Generator Facility until such time as the EDC reasonably concludes the modification poses no threat to the safety or reliability of its Electric Distribution System.

- 12) **Insurance.** For generator facilities with a Nameplate Capacity of 2 MW or above, the Customer-Generator shall carry adequate insurance coverage that shall be acceptable to the EDC; provided, that the maximum comprehensive/general liability coverage that shall be continuously maintained by the Customer-Generator during the term shall be not less than \$2,000,000 for each occurrence, and an aggregate, if any, of at least \$4,000,000. The EDC, its officers, employees and agents will be added as an additional insured on this policy.
- 13) **Customer-Generator Indemnification.** To the fullest extent permitted by law, Customer-Generator shall indemnify, defend, and hold harmless EDC, any and all of the members of its governing bodies, and its officers, agents, and employees ("EDC Indemnifieds") for, from, and against any and all claims, demands, suits, costs of defense, attorneys' fees, witness fees of any type, losses, damages, expenses, and liabilities, whether direct, indirect or consequential, personal injury, death, or occupational disease of any person, including, but not limited to, all Contractor's or Subcontractor's employees or agents; or due to loss or damage to any real or personal property tangible or intangible; which in whole or in part arise out of, are related to, arise from, or are in any way connected with: (a) Customer-Generator's or any non-EDC party's design, construction, installation, inspection, maintenance, testing or operation of the Customer-Generator Facility or equipment used in connection with this Agreement; (b) the interconnection of the Customer-Generator Facility with, and delivery of energy from the Customer-Generator Facility to, EDC's electrical distribution system; or (c) the performance or nonperformance of Customer-Generator's obligations under this Agreement. It is the intent of EDC and Customer-Generator that EDC shall, in all instances except for loss or damage resulting from the sole negligence of EDC, be indemnified against all liability, loss, or damage of any nature whatsoever for or on account of any injuries or death of person(s) or damages

to or destruction of property belonging to any person arising out of, or in any way connected with, Customer-Generator's performance of this Agreement and the interconnection of the Customer-Generator Facility. Customer-Generator's obligations under this Section shall survive the termination of this Agreement.

- 14) Limitation of Liability. THE EDC'S TOTAL LIABILITY TO THE CUSTOMER-GENERATOR FOR ALL CLAIMS OR SUITS OF ANY KIND, WHETHER BASED UPON CONTRACT, TORT (INCLUDING NEGLIGENCE), WARRANTY, STRICT LIABILITY OR OTHERWISE, FOR ANY LOSSES, DAMAGES, COSTS OR EXPENSES OF ANY KIND WHATSOEVER ARISING OUT OF, RESULTING FROM, OR RELATED TO THE PERFORMANCE OR BREACH OF THIS CONTRACT SHALL, UNDER NO CIRCUMSTANCES, EXCEED THE FINAL COST OF ANY INTERCONNECTION FACILITIES PAID FOR BY THE CUSTOMER-GENERATOR. THE EDC SHALL NOT, UNDER ANY CIRCUMSTANCES, BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE, OR CONSEQUENTIAL LOSSES, DAMAGES, COSTS, OR EXPENSES WHATSOEVER (INCLUDING, BUT NOT LIMITED TO, LOST OR REDUCED PROFITS, REVENUES, EFFICIENCY, PRODUCTIVITY, BONDING CAPACITY, OR BUSINESS OPPORTUNITIES, OR INCREASED OR EXTENDED OVERHEAD, OPERATING, MAINTENANCE OR DEPRECIATION COSTS AND EXPENSES).
- 15) **Termination.** This Application/Agreement may be terminated under the following conditions:
  - a) By Customer-Generator. The Customer-Generator may terminate this Application/Agreement by providing written notice to the EDC.
  - b) By the EDC. The EDC may terminate this Application/Agreement if the Customer-Generator fails to remedy a violation of terms of this Application/Agreement after providing written notice and a reasonable opportunity to cure.
- 16) Permanent Disconnection. In the event the Application/Agreement is terminated, the EDC shall have the right to disconnect its facilities or direct the Customer-Generator to disconnect its Customer-Generator Facility.

- 17) Survival Rights. This Application/Agreement shall continue in effect after termination to the extent necessary to allow or require either Party to fulfill its rights or obligations that arose under the Application/Agreement.
- 18) Assignment/Transfer of Ownership of the Customer-Generator Facility. The rights granted to the Customer-Generator under this Application/Agreement shall not survive the transfer of ownership of the Customer-Generator Facility to a new owner unless the new owner agrees to the assignment/transfer of this Application/Agreement and accepts the concomitant responsibilities, and so notifies the EDC in writing within fifteen (15) days of such transfer of ownership. In order for the new owner to be treated as a Net Metering customer for billing purposes, the new owner shall be responsible for providing legal evidence to the EDC of an assignment of the existing Application/Agreement, or if the existing agreement has terminated under this provision, a new Application/Agreement will be required before Net Metering will be reinstituted.
- 19) **No Third Party Beneficiaries.** This Agreement is not intended to and does not create rights, remedies, or benefits of any character whatsoever in favor of any persons, corporations, associations, or entities other than the Parties, and the obligations herein assumed are solely for the use and benefit of the Parties, their successors in interest and, where permitted, their assigns.
- 20) **No Waiver.** The failure of a Party to this Agreement to insist, on any occasion, upon strict performance of any provision of this Agreement will not be considered to waive the obligations, rights, or duties imposed upon the Parties.
- Definitions. The capitalized terms used herein, and the definitions of such terms, are as those used in N.J.A.C. 14:8-4.2 Net Metering and Interconnection Standards for Class I Renewable Energy Systems.;
- 22) **Notice.** Unless otherwise provided in this Application/Agreement, any written notice, demand or request required or authorized in connection with this

Application/Agreement ("Notice") shall be deemed properly given if delivered in person, sent by Electronic Mail (E-mail), sent by recognized national courier service, or sent by first class mail, postage prepaid, to the person specified below:

### If to EDC:

The contact listed on the EDC website as the primary contact for the EDC listed in the <u>Customer-Generator's Facility Information</u> section in Attachment A of this Interconnection Agreement.

### If to Customer-Generator:

The contact listed in the <u>Legal Name and Mailing Address of Customer-Generator</u> section on Attachment A of this Interconnection Application. The Customer-Generator is responsible for notifying the EDC of any change in the contact party information.

In the event the original applicant sells or otherwise transfers ownership of the property listed in the <u>Customer-Generator Facility's Information</u> section listed in Attachment A of the Interconnection Agreement, the original applicant shall provide the EDC with the appropriate contact information for the new owner of the property. Upon any subsequent transfer of ownership, the then current owner shall provide the EDC with the new owner's information.

23) **Governing Law and Regulatory Authority.** This Agreement shall be governed by, interpreted, construed, and enforced in accordance with the laws of the State of New Jersey. This Agreement is subject to, and the Parties' obligations hereunder include, operating in full compliance with all valid, applicable federal, state, and local laws or ordinances, and all applicable rules, regulations, orders of, and tariffs approved by duly constituted regulatory authorities having jurisdiction.

24) **Multiple Counterparts.** This Agreement may be executed in two counterparts, each of which is deemed an original but all constitute one and the same instrument.

IN WITNESS WHEREOF, the Parties have caused this Agreement to be signed by their respective duly authorized representatives.

Select Utility	Customer-Generator
BY:	BY:
NAME:	NAME:
TITLE:	TITLE:
DATE:	DATE:



### **ATTACHMENT A DESCRIPTION OF FACILITY**

For a Level 2 or 3 Interconnection Agreement<sup>1</sup>

(Application & Conditional Agreement – to be filled out prior to installation) CUSTOMER GENERATOR CONTACT INFORMATION Legal Name and Mailing Address of Customer-Generator: (if an Individual, Individual's Name)

Name						
Street Address			City		State	ZIP
Phone (Daytime)	Phone (Evening) oject Contact Informa	tion: (if d	Email (required) ifferent from Customer-Generat	Facsimile or above)		
Company Name (if applicab	le)		Contact Person (If other t	than above)		
Mailing Street Address			City		State	ZIP
Phone (Daytime)	Phone (Evening) CUSTOMER GEN	ERATOF	Email (required) R FACILITY INFORMATION	Facsimile N		
Street Address			Nearest Crossing Stree	t		
City	State	ZIP	PSE&G Account #	Meter #		
Current Annual Energy Cons	sumption	kWh	One-line Diagram Attac (Required)	hed?	Yes	No
Est. Gross Annual Energy P	roduction	kWh	Site plan attached? (Required)		Yes	No
Do you plan to export power	r? Yes	No	Estimated In-service Da	ate		
If Yes, Estimated Maximum:		kWAC	IEEE1547/UL1741 Cert	tification <sup>2</sup>	Yes	No
Energy Source: Solar Biogas Wind Diesel Nat Gas Other Hydro	Inverter Type: Grid Interactive Grid Interactive w/Standalone Grid Interactive w/Battery		AmpsAC Ampere Rating VAC Voltage Rating	DC Source	1 No. of P <i>kWDC</i> Rating	3 hases
Inverter Manufacturer	Total Inverter F	<i>kWAC</i> Rating	VDC Nominal DC Voltage	Power Facto	% Or	HZ
Inverter(s) Model No(s).	No. of Inve	<i>kWAC</i>	Location of Utility Acces ible Disconnect or Lock		Freq	uency

1) Customers proposing to install generation greater than 2,000 kW are required to contact their EDC for the appropriate application procedures.



Energy Converter Type						
Water Turbine		Itaic Cell		Steam Turbine	Other	
Wind turbine	Fuel Cel	I		MHD		
414/ 00	- 1// 1			Generator Type	Induction	
Generator Size	No. of Genera	tor Unite	-	Generalor Type	Inverter	
Generator Size	NO. OF Genera				Synchronous	
Total Electrical Generat	ion Capacity	kW or kVA			Other	
Electric	Service Info. for C	Customer Fac	cility V	Where Generator Will Be	Interconnected	
	Amps	Volts				
Capacity	Voltage	Vona	<u>,</u>	Transformer Size	Impedance	
Type of Service	Single Phase			If Three Phase, Indicate	Type <sup>.</sup>	
	Three Phase			Primary Winding	Wye Delta	
				Secondary Winding	Wye Delta	
		Intent	of Gei	neration		
ACTION OFFSet Load (Unit will	operate in parallel,	but will not ex	port p	ower to EDC)		
				pursuant to New Jersey N	let Metering or other A	
Á iled tariff(s))					C C	
ABack-up Generation (						
Note: Backup units the	at do not operate ir	parallel for n	nore th	an 100 milliseconds do n	ot need an interconnecti	on
agreement.						
	Energy P	roduction Eq	luipme	ent/Inverter Information		
Synchronous						
Induction				kW	kVA	
Inverter				Rating	Rating	
Other						
o (				Volts	Amps	
System Type Tested (T Attach product literature		Yes No		Rated Voltage	Rated Current	
· ·		For Synch	ronou	s Machines		
Note: Contact EDC to d	letermine if all the in	nformation rec	queste	d in this section is require	d for the proposed Cust	omer-
Generator Facility.						
			_	Submit Copies of the Saturation and Vee Curve		
Manufacturer	Model No.	Version No.		Salient Non-	-Salient	
lb-ft						
Torque Rated RF	PM					
Field Amps at	rated generator vo	tage and curr	ent an	d% PF over-excite	ed	
				Amps		RPM
Type of Exciter	Output Power	of Exciter	_	Current	Synchronous Speed	
· ) [ · - · · · · · · ·					-)	
Type of Voltage Regula	tor (Locked Rotor)		_	Winding Connection	AMin. Operating Freq	/Time
				-		
Generator Connection	Delta Wye	Wye Ground	eu			
Direct-axis Synchronous	s Reactance (Xd)		ohms	Negative Sequence Rea	ctance	ohms
Direct-axis Transient Re	eactance (X'd)		ohms	Zere Sequence Reactan	се	ohms
Direct-axis Sub-Transie	nt Reactance (X"d)		ohms	Neutral Impedance or G	rounding	
				Resister (if any)		ohms

#### **For Induction Machine**

Note: Contact EDC to determine if all the information requested in this section is required for the proposed Customer-Generator Facility.

Manufacturer Model No.	Version No.		Locked F	Rotor Current	Amps	
ohms				ohms		Amps
Rotor Reactance (Xr) Reactive I	Power Required	Rotor Resi	stance (Rr)	Exciting	g Current	
ohms				ohms		
Magnetizing Reactance (Xm)	VARs No Load	Rotor Read	ctance (Xr)	Reactiv	/e Power Requ	ired
ohms				ohms (X''d)		ohms
Stator Resistance (Rs)	VARs Full Load	Stator Rea	ctance (Rs)	Short C	Circuit Reactan	ce
Phases Single Phase			Temp			°C
Three Phase		Frame Size	-	Design	Letter Ris	е
	ional Information for					
Inverter Information		DC Source	e/Prime Mov	/er		
			kW	kVA	Volts	
Manufacturer Model		Rating	Rating	Rated	Voltage	
Type: Force Commutated			Amps			Amps
Line Commutated		Rated Curr	rent	Short C (if appl	Circuit Current icable)	
Watts Volts   Rated Output Efficiency	% % Power Factor	Other Fac	ility Informa	tion		
		One-line D	iagram Attac	ched?	Yes	No
Inverter UL 1547 Listed: Yes No		Site plan a	ttached?		Yes	No

#### **CUSTOMER-GENERATOR SIGNATURE**

I hereby certify that: 1) I have read and understand the Terms and Conditions which are attached hereto by reference and are made a part of this Application/Agreement; 2) The Equipment Installation Contractor is acting on behalf of the Customer-Generator and the EDC (as defined) is authorized to act in reliance upon the Equipment Installation Contractor's relationship with the Customer-Generator; 3) The Applicant shall notify the EDC of any changes to the proposed Customer-Generator Facility that would be subject to the criteria for a Level 2 or 3 review (e.g., Equipment Installation Contractor, inverter manufacturer/model number, size, etc.); 4) Once an Interconnection Request is deemed complete, any modification to the proposed Customer-Generator Facility that would affect the application review criteria for a Level 2 or 3 review that is not agreed to in writing by the EDC, shall require submission of a new Interconnection Request; and 5) To the best of my knowledge, all of the information provided in this Interconnection Application/Agreement is true and I agree to abide by the attached Terms and Conditions for Interconnection, including the application process set forth therein.

Interconnection Customer Signature

Printed Name

An application fee is required before the application can be processed. Please verify that the appropriate fee is included with the application:

Application Fee Included	( )	Amount:			
	EDC	Acknowledgement			
Receipt of the application fee is acknowledged and the interconnection request is complete.					

EDC Signature

Date

Date

Title



ATTACHMENT B CERTIFICATE OF COMPLETION

For a Level 2 or 3 Interconnection Agreement

Final Agreement - to be filled out after installation and before interconnection

CUSTOMER GENERATOR CONTACT INFORMATION

Legal Name and Mailing Address of Customer-Generator: (if an Individual, Individual's Name)

Name			Contact Person (If different from Name)				
Street Addres	SS			Mailing Street Address	S (if different from a	ddress)	
City		State	ZIP	City		State	ZIP
Phone (Daytin	me)	Phone (Evening)		Email (required)	Facsimile		
		CUSTOMER GEN	ERATO	R FACILITY INFORMATI	ON		
Street Addres	SS			Nearest Crossing Stre	et		
City		State	ZIP	PSE&G Account #	Meter #		
Energy Sourc	ce:	Inverter Type:					kWAC
Solar	Biogas	Grid Interactive		Inverter Manufacturer		Inverter	Rating
Wind	Diesel	Grid Interactive					
Nat Gas	Other	w/Standalone					kWAC
Hydro		Grid Interactive		Inverter(s) Model No(s	s).	No. of Inve	erters

(Attach additional sheets as necessary in the event of multiple units of various types/sizes)

w/Battery

#### EQUIPMENT INSTALLATION CONTRACTOR Check if Owner Installed ()

Company Name if Applicable			Contact Person (If different from Name)		
Mailing Street Address			Phone (Daytime)	Phone (Evening)	
City	State	ZIP	Email (required)	Facsimile	
The undersigned asserts that the Equip Application as well as all applicable cod				n of the Interconnection	
Signed			Date		

Printed Name



#### **ELECTRICAL CONTRACTOR (If Different from Equipment Installation Contractor)**

Name	Contact Person (If different from Name)		
Mailing Street Address	Phone (Daytime)	Phone (Evening)	
City State ZIP	Email	Facsimile	
The undersigned asserts that the Equipment has been Application as well as all applicable codes and regulation		th of the Interconnection	
Signed	Date		
Printed Name	Title		
codes and standards as well as the local Building/Elect (Appropriate Gov	ernmental Authority)		
By:	Date		
The Customer-Generator Facility is complete and ready provisions of the Interconnection Application/Agreemen <u>not</u> operate the Facility until receipt of Final Acceptance	/ for interconnected operation. The Customer-Generat	or acknowledges that it shall	
Signed	Date		
Printed Name	Title		
Final Acceptance to Interconnect Custon		or Use by EDC Only)	
The requirements for interconnection are complete and accepted upon signature and return of this Certificate o acceptable means by the EDC.	interconnection of the Cu	stomer-Generator Facility is	
Electric Distribution Company waives Witness Test?	Yes No		
If no, Successful Witness Test Date	Passed:	(Initial)	
EDC Signature	Date		
Printed Name	Title		

1) Completion of local inspections may be designated on inspection forms used by local inspecting authorities.

2) As a condition of interconnected operation, you are required to send/fax/e-mail a completed signed copy of this Certificate of Completion to your EDC at the address in the Terms & Conditions for Interconnection.



### ATTACHMENT C DESCRIPTION OF FACILITY

#### **FACILITY DESCRIPTION**

Description of generating unit(s) (the Customer-Generator Facility) to be interconnected with the EDC:

a) Name of Customer-Generator's Facility:

b) Location of Customer-Generator Facility:

c) Size in megawatts of Customer-Generator Facility:

Maximum Facility Output of \_\_\_\_\_ MW

d) Description of the equipment configuration:



# ATTACHMENT D GENERATION AND INTERCONNECTION ONE-LINE

GENERATION AND INTERCONNECTION ONE-LINE DIAGRAM



## ATTACHMENT E DESCRIPTION OF INTERCONNECTION FACILITIES

#### DESCRIPTION OF INTERCONNECTION FACILITIES

1. Location of Point of Common Coupling:

The Point of Common Coupling (sometimes referred to as the "Interconnection Point") will be located at:

2. Projected Date Customer-Generator's Facility will connect to EDC's Electric System:

Energization Date:\_\_\_\_\_ (Pre-Parallel Operational Testing and Inspection per Article 3.2)

In-service Date: \_\_\_\_\_

3. Description of Point of Common Coupling:

4. Interconnection Facilities Description and Requirements:

5. Description of Metering Facilities:

6. Description of Telemetering Facilities:

7. Interconnection Protection Description and Requirements:

8. Milestones:



# ATTACHMENT F SPECIAL PROCEDURES FOR PARALLEL OPERATION

SPECIAL PROCEDURES FOR PARALLEL OPERATION

(special technical considerations for system protection, metering, data acquisition, etc)



## ATTACHMENT G INTERCONNECTION FACILITIES COST ESTIMATE

#### INTERCONNECTION FACILITIES COST ESTIMATE

1. Interconnection Facilities Cost Estimate: Construction Responsibility and Ownership of Interconnection Facilities

a. Customer Generator:

Customer-Generator shall construct and, unless otherwise indicated, shall own the following Interconnection Facilities:

b. EDC

2. Cost Breakdown:

\$0 Direct Labor \$0 Direct Material \$0 Indirect Labor <u>\$0</u> Indirect Material

\$0 Total

- 3. Security Amount Breakdown:
  - \$0 Estimated Cost of Distribution Upgrades
- plus \$0 Estimated cost of the work on the required Interconnection Facilities

less \$0 Costs already paid by Customer-Generator

- \$0 Total Security Deposit Required
- 4. Estimated annual operation and maintenance expenses:

\$0