

## ENERGY STAR Oil Furnaces Product List

Below are currently qualified ENERGY STAR models available for sale in the U.S. and Canada

\* Air Leakage data was not collected under the Version 3.0 ENERGY STAR Program Requirements for Furnaces.

### List Posted on December 31, 2012

ENERGY STAR Partner	Brand Name	Model Name	Model Number	Additional Model Information	Fuel Type	In What Climate Regions Does This Product Qualify?	AFUE Rating	Air Leakage (Qleak)*	Capable of Two-Way Communication ?	Date Available On Market	Date Qualified
Bryant Heating and Cooling Systems (Carrier Corporation)	Bryant	Bryant	OVLAAB036098		Oil	All	85.7		Not Applicable	1/27/2012	9/26/2012
Bryant Heating and Cooling Systems (Carrier Corporation)	Bryant	Bryant	OVLAAB036098*		Oil	All	85		Not Applicable	1/27/2012	9/26/2012
Bryant Heating and Cooling Systems (Carrier Corporation)	Bryant	Bryant	OVLAAB048112		Oil	All	86.3		Not Applicable	1/26/2012	9/26/2012
Bryant Heating and Cooling Systems (Carrier Corporation)	Bryant	Bryant	OVLAAB048112*		Oil	All	85		Not Applicable	1/26/2012	9/26/2012
Bryant Heating and Cooling Systems (Carrier Corporation)	Bryant	Bryant	OVMAAB042112		Oil	All	85.2		Not Applicable	2/6/2012	9/26/2012
Bryant Heating and Cooling Systems (Carrier Corporation)	Bryant	Bryant	OVMAAB042112*		Oil	All	85		Not Applicable	2/8/2012	9/26/2012
Carrier Corporation	Carrier	CARRIER	OVLAAB036098		Oil	All	85.7		Not Applicable	1/27/2012	9/4/2012
Carrier Corporation	Carrier	CARRIER	OVLAAB036098*		Oil	All	85		Not Applicable	1/27/2012	9/4/2012
Carrier Corporation	Carrier	CARRIER	OVLAAB048112		Oil	All	86.3		Not Applicable	1/26/2012	9/4/2012
Carrier Corporation	Carrier	CARRIER	OVLAAB048112*		Oil	All	85		Not Applicable	1/26/2012	9/4/2012
Carrier Corporation	Carrier	CARRIER	OVMAAB042112		Oil	All	85.2		Not Applicable	2/6/2012	9/4/2012
Carrier Corporation	Carrier	CARRIER	OVMAAB042112*		Oil	All	85		Not Applicable	2/8/2012	9/4/2012
Dettson Industries Inc.	DETTSON	AMP070SV-BF	AMP070SV-BF		Oil	All	86.2		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP070SV-BNX	AMP070SV-BNX		Oil	All	86.1		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP070SV-CAR	AMP070SV-CAR		Oil	All	85.2		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP070SV-RBF	AMP070SV-RBF		Oil	All	85.1		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP070SV-RF	AMP070SV-RF		Oil	All	86.4		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP084SV-BF	AMP084SV-BF		Oil	All	85.1		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP084SV-BNX	AMP084SV-BNX		Oil	All	85.4		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP084SV-CAR	AMP084SV-CAR		Oil	All	85.4		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP084SV-RBF	AMP084SV-RBF		Oil	All	85		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP084SV-RF	AMP084SV-RF		Oil	All	85.9		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP095SV-BF	AMP095SV-BF		Oil	All	85.3		Not Applicable	10/1/2012	10/3/2012

Qualified


ENERGY STAR Partner	Brand Name	Model Name	Model Number	Additional Model Information	Fuel Type	In What Climate Regions Does This Product Qualify?	AFUE Rating	Air Leakage (Qleak)*	Capable of Two-Way Communication ?	Date Available On Market	Date Qualified
Dettson Industries Inc.	DETTSON	AMP095SV-BNX	AMP095SV-BNX		Oil	All	85.8		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP095SV-CAR	AMP095SV-CAR		Oil	All	85.2		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP095SV-RBF	AMP095SV-RBF		Oil	All	85.5		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP095SV-RF	AMP095SV-RF		Oil	All	85.8		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP112SV-BNX	AMP112SV-BNX		Oil	All	85.3		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP112SV-CAR	AMP112SV-CAR		Oil	All	85.3		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP112SV-RBF	AMP112SV-RBF		Oil	All	85.3		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP112SV-RF	AMP112SV-RF		Oil	All	85.4		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP126SV-BNX	AMP126SV-BNX		Oil	All	85.3		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP126SV-RBF	AMP126SV-RBF		Oil	All	86.1		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP126SV-RF	AMP126SV-RF		Oil	All	86		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP154SV-BNX	AMP154SV-BNX		Oil	All	85.1		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP154SV-RBF	AMP154SV-RBF		Oil	All	85		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMP154SV-RF	AMP154SV-RF		Oil	All	85		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT077SV-BF	AMT077SV-BF		Oil	All	85.7		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT077SV-BNX	AMT077SV-BNX		Oil	All	86.9		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT077SV-CAR	AMT077SV-CAR		Oil	All	85.9		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT077SV-RBF	AMT077SV-RBF		Oil	All	86.7		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT077SV-RF	AMT077SV-RF		Oil	All	86.6		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT095SV-BF	AMT095SV-BF		Oil	All	87.1		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT095SV-BNX	AMT095SV-BNX		Oil	All	87		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT095SV-CAR	AMT095SV-CAR		Oil	All	87.5		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT095SV-RBF	AMT095SV-RBF		Oil	All	87.2		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT095SV-RF	AMT095SV-RF		Oil	All	86.6		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT098SV-BF	AMT098SV-BF		Oil	All	85.1		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT098SV-BNX	AMT098SV-BNX		Oil	All	85.2		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT098SV-RBF	AMT098SV-RBF		Oil	All	85		Not Applicable	10/1/2012	10/3/2012



ENERGY STAR Partner	Brand Name	Model Name	Model Number	Additional Model Information	Fuel Type	In What Climate Regions Does This Product Qualify?	AFUE Rating	Air Leakage (Qleak)*	Capable of Two-Way Communication ?	Date Available On Market	Date Qualified
Dettson Industries Inc.	DETTSON	AMT098SV-RF	AMT098SV-RF		Oil	All	85.2		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT112SV-BF	AMT112SV-BF		Oil	All	86.3		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT112SV-BNX	AMT112SV-BNX		Oil	All	85.9		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT112SV-CAR	AMT112SV-CAR		Oil	All	86.4		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT112SV-RBF	AMT112SV-RBF		Oil	All	86.5		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT112SV-RF	AMT112SV-RF		Oil	All	86.1		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT126SV-BNX	AMT126SV-BNX		Oil	All	86.6		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT126SV-RBF	AMT126SV-RBF		Oil	All	87.5		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT126SV-RF	AMT126SV-RF		Oil	All	86.6		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT154SV-BNX	AMT154SV-BNX		Oil	All	85.5		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT154SV-RBF	AMT154SV-RBF		Oil	All	86.2		Not Applicable	10/1/2012	10/3/2012
Dettson Industries Inc.	DETTSON	AMT154SV-RF	AMT154SV-RF		Oil	All	85.8		Not Applicable	10/1/2012	10/3/2012
Granby Furnaces Inc.	Granby-Conforto	KHM Multi-Pos Oil furnace Beckett ECM 102,000 BTU/H	KHM-G2-*102-05*		Oil	All	86.6		Not Applicable	11/15/2011	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KHM Multi-Pos Oil furnace Beckett ECM 119,000 BTU/H	KHM-G2-*119-05*		Oil	All	86.4		Not Applicable	11/15/2011	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KHM Multi-Pos Oil furnace Beckett ECM 132,000 BTU/H	KHM-G2-*132-05*		Oil	All	86.3		Not Applicable	11/15/2011	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KHM Multi-Pos Oil furnace Beckett ECM 67,000 BTU/H	KHM-G2-*066-03*		Oil	All	86.8		Not Applicable	10/15/2011	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KHM Multi-Pos Oil furnace Beckett ECM 78,000 BTU/H	KHM-G2-*078-03*		Oil	All	86.6		Not Applicable	10/15/2011	9/26/2012



ENERGY STAR Partner	Brand Name	Model Name	Model Number	Additional Model Information	Fuel Type	In What Climate Regions Does This Product Qualify?	AFUE Rating	Air Leakage (Qleak)*	Capable of Two-Way Communication ?	Date Available On Market	Date Qualified
Granby Furnaces Inc.	Granby-Conforto	KHM Multi-Pos Oil furnace Beckett ECM 90,000 BTU/H	KHM-G2-*090-03*		Oil	All	86		Not Applicable	10/15/2011	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KHM Multi-Pos Oil furnace Riello ECM 109,000 BTU/H	KHM-E3-*109-05*		Oil	All	87.5		Not Applicable	11/15/2011	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KHM Multi-Pos Oil furnace Riello ECM 127,000 BTU/H	KHM-E3-*127-05*		Oil	All	86.6		Not Applicable	11/15/2011	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KHM Multi-Pos Oil furnace Riello ECM 139,000 BTU/H	KHM-E3-*139-05*		Oil	All	87		Not Applicable	11/15/2011	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KHM Multi-Pos Oil furnace Riello ECM 67,000 BTU/H	KHM-E1-*067-03*		Oil	All	86.6		Not Applicable	10/15/2011	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KHM Multi-Pos Oil furnace Riello ECM 79,000 BTU/H	KHM-E1-*079-03*		Oil	All	86.8		Not Applicable	10/15/2011	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KHM Multi-Pos Oil furnace Riello ECM 91,000 BTU/H	KHM-E1-*091-03*		Oil	All	87		Not Applicable	10/15/2011	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLC Condensing Oil furnace Riello BF3 ECM 73,000 BTU/H	KLC-V1-*073-03*		Oil	All	96		Not Applicable	7/10/2012	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLC Condensing Oil furnace Riello BF3 ECM 88,000 BTU/H	KLC-V1-*088-03*		Oil	All	96		Not Applicable	7/10/2012	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLC Condensing Oil furnace Riello F3 ECM 73,000 BTU/H	KLC-E1-*073-03*		Oil	All	96.2		Not Applicable	7/10/2012	9/26/2012

ified





ENERGY STAR Partner	Brand Name	Model Name	Model Number	Additional Model Information	Fuel Type	In What Climate Regions Does This Product Qualify?	AFUE Rating	Air Leakage (Qleak)*	Capable of Two-Way Communication ?	Date Available On Market	Date Qualified
Granby Furnaces Inc.	Granby-Conforto	KLC Condensing Oil furnace Rielo F3 ECM 88,000 BTU/H	KLC-E1-*088-03*		Oil	All	96.7		Not Applicable	7/10/2012	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLF Lowboy Front Flue Oil furnace Beckett ECM 102,000 BTU/H	KLF-G2-*102-05*		Oil	All	86.4		Not Applicable	7/10/2012	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLF Lowboy Front Flue Oil furnace Beckett ECM 119,000 BTU/H	KLF-G2-*119-05*		Oil	All	85.9		Not Applicable	7/10/2012	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLF Lowboy Front Flue Oil furnace Beckett ECM 132,000 BTU/H	KLF-G2-*132-05*		Oil	All	86.2		Not Applicable	7/10/2012	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLF Lowboy Front Flue Oil furnace Beckett ECM 93,000 BTU/H	KLF-G2-*093-03*		Oil	All	87.8		Not Applicable	7/10/2012	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLF Lowboy Front Flue Oil furnace Rielo ECM 102,000 BTU/H	KLF-E3-*102-05*		Oil	All	87.1		Not Applicable	7/10/2012	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLF Lowboy Front Flue Oil furnace Rielo ECM 119,000 BTU/H	KLF-E3-*119-05*		Oil	All	87.1		Not Applicable	7/10/2012	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLF Lowboy Front Flue Oil furnace Rielo ECM 132,000 BTU/H	KLF-E3-*132-05*		Oil	All	87		Not Applicable	7/10/2012	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLF Lowboy Front Flue Oil furnace Rielo ECM 93,000 BTU/H	KLF-E3-*093-03*		Oil	All	88.4		Not Applicable	7/10/2012	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLR Lowboy Oil furnace Beckett ECM 66,000 BTU/H	KLR-G2-*066-03*		Oil	All	87.3		Not Applicable	9/15/2011	9/26/2012



lified

ENERGY STAR Partner	Brand Name	Model Name	Model Number	Additional Model Information	Fuel Type	In What Climate Regions Does This Product Qualify?	AFUE Rating	Air Leakage (Qleak)*	Capable of Two-Way Communication ?	Date Available On Market	Date Qualified
Granby Furnaces Inc.	Granby-Conforto	KLR Lowboy Oil furnace Beckett ECM 78,000 BTU/H	KLR-G2-*078-03*		Oil	All	87		Not Applicable	9/15/2011	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLR Lowboy Oil furnace Beckett ECM 90,000 BTU/H	KLR-G2-*090-03*		Oil	All	86.3		Not Applicable	9/15/2011	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLR Lowboy Oil furnace Riello ECM 67,000 BTU/H	KLR-E1-*067-03*		Oil	All	87.6		Not Applicable	9/15/2011	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLR Lowboy Oil furnace Riello ECM 79,000 BTU/H	KLR-E1-*079-03*		Oil	All	87.2		Not Applicable	9/15/2011	9/26/2012
Granby Furnaces Inc.	Granby-Conforto	KLR Lowboy Oil furnace Riello ECM 91,000 BTU/H	KLR-E1-*091-03*		Oil	All	86.8		Not Applicable	9/15/2011	9/26/2012

Qualified

ENERGY STAR Partner	Brand Name	Model Name	Model Number	Additional Model Information	Fuel Type	In What Climate Regions Does This Product Qualify?	AFUE Rating	Air Leakage (Qleak)*	Capable of Two-Way Communication ?	Date Available On Market	Date Qualified
International Comfort Products (ICP)	Heil	HEIL	OLV098A12	AIRQUEST,OLV098A12;; AIRQUEST,OLV098A12;; AIRQUEST,OLV098A12;; ARCOAIRE,OLV098A12;; ARCOAIRE,OLV098A12;; ARCOAIRE,OLV098A12;; COMFORTMAKER,OLV098A12;; COMFORTMAKER,OLV098A12;; COMFORTMAKER,OLV098A12;; DAY & NIGHT,OLV098A12;; DAY & NIGHT,OLV098A12;; DAY & NIGHT,OLV098A12;; ICP COMMERCIAL,OLV098A12;; ICP COMMERCIAL,OLV098A12;; ICP COMMERCIAL,OLV098A12;; KEEPRITE,OLV098A12;; KEEPRITE,OLV098A12;; KEEPRITE,OLV098A12;; KENMORE,OLV098A12;; KENMORE,OLV098A12;; KENMORE,OLV098A12;; MARATHERM,OLV098A12;; MARATHERM,OLV098A12;; MARATHERM,OLV098A12;; TEMPSTAR,OLV098A12;; TEMPSTAR,OLV098A12;; TEMPSTAR,OLV098A12;	Oil	All	85.7		Not Applicable	1/27/2012	10/3/2012

ified

ENERGY STAR Partner	Brand Name	Model Name	Model Number	Additional Model Information	Fuel Type	In What Climate Regions Does This Product Qualify?	AFUE Rating	Air Leakage (Qleak)*	Capable of Two-Way Communication ?	Date Available On Market	Date Qualified
International Comfort Products (ICP)	Heil	HEIL	OLV098A12*	AIRQUEST,OLV098A12*;; AIRQUEST,OLV098A12*;; AIRQUEST,OLV098A12*;; ARCOAIRE,OLV098A12*;; ARCOAIRE,OLV098A12*;; ARCOAIRE,OLV098A12*;; COMFORTMAKER,OLV098A12*;; COMFORTMAKER,OLV098A12*;; COMFORTMAKER,OLV098A12*;; DAY & NIGHT,OLV098A12*;; DAY & NIGHT,OLV098A12*;; DAY & NIGHT,OLV098A12*;; ICP COMMERCIAL,OLV098A12*;; ICP COMMERCIAL,OLV098A12*;; ICP COMMERCIAL,OLV098A12*;; KEEPRITE,OLV098A12*;; KEEPRITE,OLV098A12*;; KEEPRITE,OLV098A12*;; KENMORE,OLV098A12*;; KENMORE,OLV098A12*;; KENMORE,OLV098A12*;; MARATHERM,OLV098A12*;; MARATHERM,OLV098A12*;; MARATHERM,OLV098A12*;; TEMPSTAR,OLV098A12*;; TEMPSTAR,OLV098A12*;; TEMPSTAR,OLV098A12*	Oil	All	85		Not Applicable	1/27/2012	10/3/2012

ified



ENERGY STAR Partner	Brand Name	Model Name	Model Number	Additional Model Information	Fuel Type	In What Climate Regions Does This Product Qualify?	AFUE Rating	Air Leakage (Qleak)*	Capable of Two-Way Communication ?	Date Available On Market	Date Qualified
International Comfort Products (ICP)	Heil	HEIL	OLV112A16	AIRQUEST,OLV112A16; AIRQUEST,OLV112A16; AIRQUEST,OLV112A16; ARCOAIRE,OLV112A16; ARCOAIRE,OLV112A16; ARCOAIRE,OLV112A16; COMFORTMAKER,OLV112A16; COMFORTMAKER,OLV112A16; COMFORTMAKER,OLV112A16; COMFORTMAKER,OLV112A16;; DAY & NIGHT,OLV112A16;; DAY & NIGHT,OLV112A16;; DAY & NIGHT,OLV112A16;; ICP COMMERCIAL,OLV112A16;; ICP COMMERCIAL,OLV112A16;; ICP COMMERCIAL,OLV112A16;; KEEPRITE,OLV112A16; KEEPRITE,OLV112A16; KEEPRITE,OLV112A16; KENMORE,OLV112A16; KENMORE,OLV112A16; KENMORE,OLV112A16; KENMORE,OLV112A16; MARATHERM,OLV112A16; MARATHERM,OLV112A16; MARATHERM,OLV112A16;; TEMPSTAR,OLV112A16; TEMPSTAR,OLV112A16; TEMPSTAR,OLV112A16;	Oil	All	86.3		Not Applicable	1/26/2012	10/3/2012

ified

ENERGY STAR Partner	Brand Name	Model Name	Model Number	Additional Model Information	Fuel Type	In What Climate Regions Does This Product Qualify?	AFUE Rating	Air Leakage (Qleak)*	Capable of Two-Way Communication ?	Date Available On Market	Date Qualified
International Comfort Products (ICP)	Heil	HEIL	OLV112A16*	AIRQUEST,OLV112A16*;; AIRQUEST,OLV112A16*;; AIRQUEST,OLV112A16*;; ARCOAIRE,OLV112A16*;; ARCOAIRE,OLV112A16*;; ARCOAIRE,OLV112A16*;; COMFORTMAKER,OLV112A16*;; COMFORTMAKER,OLV112A16*;; COMFORTMAKER,OLV112A16*;; COMFORTMAKER,OLV112A16*;; DAY & NIGHT,OLV112A16*;; DAY & NIGHT,OLV112A16*;; DAY & NIGHT,OLV112A16*;; ICP COMMERCIAL,OLV112A16*;; ICP COMMERCIAL,OLV112A16*;; ICP COMMERCIAL,OLV112A16*;; KEEPRITE,OLV112A16*;; KEEPRITE,OLV112A16*;; KEEPRITE,OLV112A16*;; KENMORE,OLV112A16*;; KENMORE,OLV112A16*;; KENMORE,OLV112A16*;; MARATHERM,OLV112A16*;; MARATHERM,OLV112A16*;; MARATHERM,OLV112A16*;; TEMPSTAR,OLV112A16*;; TEMPSTAR,OLV112A16*;; TEMPSTAR,OLV112A16*;;	Oil	All	85		Not Applicable	1/26/2012	10/3/2012


ified

ENERGY STAR Partner	Brand Name	Model Name	Model Number	Additional Model Information	Fuel Type	In What Climate Regions Does This Product Qualify?	AFUE Rating	Air Leakage (Qleak)*	Capable of Two-Way Communication ?	Date Available On Market	Date Qualified
International Comfort Products (ICP)	Heil	HEIL	OMV112K14	AIRQUEST,OMV112K14; AIRQUEST,OMV112K14; AIRQUEST,OMV112K14; ARCOAIRE,OMV112K14; ARCOAIRE,OMV112K14; ARCOAIRE,OMV112K14; COMFORTMAKER,OMV112K14; COMFORTMAKER,OMV112K14; COMFORTMAKER,OMV112K14; COMFORTMAKER,OMV112K14,; DAY & NIGHT,OMV112K14,; DAY & NIGHT,OMV112K14,; DAY & NIGHT,OMV112K14,; ICP CCOMMERCIAL,OMV112K14,; ICP CCOMMERCIAL,OMV112K14,; ICP CCOMMERCIAL,OMV112K14,; ICP KEEPRITE,OMV112K14,; KEEPRITE,OMV112K14,; KEEPRITE,OMV112K14,; KENMORE,OMV112K14,; KENMORE,OMV112K14,; KENMORE,OMV112K14,; KENMORE,OMV112K14,; MARATHERM,OMV112K14,; MARATHERM,OMV112K14,; MARATHERM,OMV112K14,; TEMPSTAR,OMV112K14,; TEMPSTAR,OMV112K14,; TEMPSTAR,OMV112K14,	Oil	All	85.2		Not Applicable	2/6/2012	10/3/2012

ified

ENERGY STAR Partner	Brand Name	Model Name	Model Number	Additional Model Information	Fuel Type	In What Climate Regions Does This Product Qualify?	AFUE Rating	Air Leakage (Qleak)*	Capable of Two-Way Communication ?	Date Available On Market	Date Qualified
International Comfort Products (ICP)	Heil	HEIL	OMV112K14*	AIRQUEST,OMV112K14*;; AIRQUEST,OMV112K14*;; AIRQUEST,OMV112K14*;; ARCOAIRE,OMV112K14*;; ARCOAIRE,OMV112K14*;; ARCOAIRE,OMV112K14*;; COMFORTMAKER,OMV112K14*;; COMFORTMAKER,OMV112K14*;; COMFORTMAKER,OMV112K14*;; COMFORTMAKER,OMV112K14*;; DAY & NIGHT,OMV112K14*;; DAY & NIGHT,OMV112K14*;; DAY & NIGHT,OMV112K14*;; ICP COMMERCIAL,OMV112K14*;; ICP COMMERCIAL,OMV112K14*;; ICP COMMERCIAL,OMV112K14*;; KEEPRITE,OMV112K14*;; KEEPRITE,OMV112K14*;; KEEPRITE,OMV112K14*;; KENMORE,OMV112K14*;; KENMORE,OMV112K14*;; KENMORE,OMV112K14*;; MARATHERM,OMV112K14*;; MARATHERM,OMV112K14*;; MARATHERM,OMV112K14*;; TEMPSTAR,OMV112K14*;; TEMPSTAR,OMV112K14*;; TEMPSTAR,OMV112K14*	Oil	All	85		Not Applicable	2/8/2012	10/3/2012
Thermo Products, LLC	Thermo Pride	OD6 2 stage Series	OD6*X072DV5R		Oil	All	86.00		Not Applicable	1/1/2007	9/30/2011
Thermo Products, LLC	Thermo Pride	OD6 2 stage Series	OD6*X090DV5R		Oil	All	85.00		Not Applicable	1/1/2007	9/30/2011
Thermo Products, LLC	Thermo Pride	OD6 Series	OD6*A072DV5R		Oil	All	85.70		Not Applicable	1/1/2007	9/30/2011

lified





ENERGY STAR Partner	Brand Name	Model Name	Model Number	Additional Model Information	Fuel Type	In What Climate Regions Does This Product Qualify?	AFUE Rating	Air Leakage (Qleak)*	Capable of Two-Way Communication ?	Date Available On Market	Date Qualified
Thermo Products, LLC	Thermo Pride	OH6 2 Stage Series	OH6FX072DV4R		Oil	All	87.00		Not Applicable	4/1/2006	9/30/2011
Thermo Products, LLC	Thermo Pride	OH6 Series	OH6FA072DV4N	OH6FA072DV4N,OH6FA072DV4N,; OH6FA072DV4N,OH6FA072DV4N,	Oil	All	85.60		Not Applicable	4/1/2006	3/28/2012
Thermo Products, LLC	Thermo Pride	OH6 Series	OH6FA072DV4R	OH6FA072DV4R,OH6FA072DV4R,; OH6FA072DV4R,OH6FA072DV4R,	Oil	All	86.10		Not Applicable	4/1/2006	3/28/2012
Thermo Products, LLC	Thermo Pride	OH8 Series	OH8FA119DV5R	OH8FA119DV5R,OH8FA119DV5R,; OH8FA119DV5R,OH8FA119DV5R,	Oil	All	86.00		Not Applicable	12/1/2009	3/28/2012
Thermo Products, LLC	Thermo Pride	OL11 Series	OL11-105*DE-B	OL11-105*DE-B,OL11-105*DE-B,; OL11-105*DE-B,OL11-105*DE-B,	Oil	All	85.00		Not Applicable	1/1/2000	3/28/2012
Thermo Products, LLC	Thermo Pride	OL16 Series	OL16-125*DE-B	OL16-125*DE-B,OL16-125*DE-B,; OL16-125*DE-B,OL16-125*DE-B,	Oil	All	85.00		Not Applicable	1/1/2000	3/28/2012
Thermo Products, LLC	Thermo Pride	OL20 Series	OL20-151*DE-B	OL20-151*DE-B,OL20-151*DE-B,; OL20-151*DE-B,OL20-151*DE-B,	Oil	All	85.00		Not Applicable	1/1/2000	3/28/2012
Thermo Products, LLC	Thermo Pride	OL5 Series	OL5-85*DE-B	OL5-85*DE-B,OL5-85*DE-B,; OL5-85*DE-B,OL5-85*DE-B,	Oil	All	85.00		Not Applicable	1/1/2000	3/28/2012
Thermo Products, LLC	Thermo Pride	OL6 Series	OL6FA072DV5B	OL6FA072DV5B,OL6FA072DV5B,; OL6FA072DV5B,OL6FA072DV5B,	Oil	All	86.50		Not Applicable	11/1/2010	3/28/2012
Thermo Products, LLC	Thermo Pride	OL6 Series	OL6FA072DV5R	OL6FA072DV5R,OL6FA072DV5R,; OL6FA072DV5R,OL6FA072DV5R,	Oil	All	87.00		Not Applicable	11/1/2010	3/28/2012
Thermo Products, LLC	Thermo Pride	OL6 Series	OL6RA072DV5B	OL6RA072DV5B,OL6RA072DV5B,; OL6RA072DV5B,OL6RA072DV5B,	Oil	All	86.50		Not Applicable	11/1/2010	3/28/2012
Thermo Products, LLC	Thermo Pride	OL6 Series	OL6RA072DV5R	OL6RA072DV5R,OL6RA072DV5R,; OL6RA072DV5R,OL6RA072DV5R,	Oil	All	87.00		Not Applicable	11/1/2010	3/28/2012
Thermo Products, LLC	Thermo Pride	Spirit Low Profile	VHF-ABE-72-N	RHF-ANE-XX*,Spirit Low Profile,AIRTEMP; VHF-ABE-72-N,VHF-ABE-72-N,; VHF-ABE-72-N,VHF-ABE-72-N,	Oil	All	85.5		Not Applicable	11/4/2005	3/28/2012

lified

## Definitions for Furnace Product Listing Column Headers

Column Header	Definition
<b>ENERGY STAR Partner</b>	An organization that signed a Partnership Agreement with EPA to manufacture or private label ENERGY STAR qualified products.
<b>Brand</b>	An identifier assigned by the manufacturer or private labeler to a product or family/series of products for sales and marketing purposes.
<b>Model Name</b>	An identifier assigned by the manufacturer or private labeler to a product or family/series of products for sales and marketing purposes.
<b>Model Number</b>	A distinguishing identifier, usually alphanumeric, assigned to a product by the manufacturer or private labeler.
<b>Additional Model Information</b>	This column includes for the qualified model or family, family members, additional model names, model numbers and other identifying information associated with a product or family/series of products for sales and marketing purposes. Other identifying information includes, but is not limited to, SKUs, UPC codes, retail numbers, and/or descriptions of models included/not included in the reported Model Family.
<b>Fuel Type</b>	The type of fuel the furnace uses to operate.
<b>In What Climate Regions Does This Product Qualify?</b>	This column indicates the climate region of the United States where the furnace qualifies as ENERGY STAR.
<b>U.S. North:</b>	Alaska, Colorado, Connecticut, Idaho, Illinois, Indiana, Iowa, Kansas, Maine, Massachusetts, Michigan, Minnesota, Missouri, Montana, Nebraska, New Hampshire, New Jersey, New York, North Dakota, Ohio, Oregon, Pennsylvania, Rhode Island, South Dakota, Utah, Vermont, Washington, West Virginia, Wisconsin and Wyoming.
<b>U.S. South:</b>	Alabama, American Samoa, Arizona, Arkansas, California, Delaware, District of Columbia, Florida, Georgia, Guam, Hawaii, Kentucky, Louisiana, Maryland, Mississippi, Nevada, New Mexico, North Carolina, Oklahoma, Puerto Rico, South Carolina, Tennessee, Texas and Virginia.
<b>AFUE Rating</b>	The percentage of the heat in the incoming fuel which is converted to space heat instead of being lost.
<b>Air Leakage (Qleak)</b>	The percent of the rated airflow of the fan that is required to maintain the applied pressures, accounting for air that leaves or enters through cracks, joints and penetrations in the furnace cabinet rather than through supply and return ducts installed in accordance with manufacturer's instructions.
<b>Is This Unit Capable of Two-Way Communication With Any System Controllers, Such as a Thermostat?</b>	An indicator of whether the furnace is capable of two-way communication with any system controllers.



Column Header	Definition
<b>Date Available on Market</b>	The date that the model is available for purchase.
<b>Date Qualified</b>	The date on which the product was confirmed to meet the ENERGY STAR specification.



## Key Efficiency Criteria

Qualified models meet all ENERGY STAR requirements as listed in the Version 3.0 ENERGY STAR Program Requirements for Furnaces that are effective as of February 1, 2012, or the Version 4.0 ENERGY STAR Program Requirements for Furnaces that are effective as of February 1, 2013.

Oil Furnaces Criteria by ENERGY STAR Version	Criteria Levels		
	Climate Region	AFUE	Air Leakage (Qleak)
ENERGY STAR V3.0	U.S. (all)/Canada	≥ 85%	Not Required
ENERGY STAR V4.0	U.S. (all)/Canada	≥ 85%	≤ 2.0%

Please see the Key Definitions tab for more information on climate regions, including U.S. States per Region.